Report/Document Field Definitions

Report Title	R/D Format	Index No.	Date	Page
Automation for County User Defined Templates	Report	LAMap	5-Sept-13	1 of 28

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size

Instructions for using "Automation for County Templates":

1. Add the "CreateReport" macro to the county templates.

   Open the CWS/CMS Master Macro document in Word. You may find the CWS/CMS Master Macro document on the State of California CWS/CMS website.
   Click the Home tab.
   On the Editing toolbar, click Select and then click Select All,
   On the Clipboard toolbar, click Copy.

   Repeat the following process for each county template for which automation is being added.
   Open the county template using Word.
   Click the Developer tab and then click the Visual Basic button. In the Project explorer, click This Document and then select View>Code from the menu.
   Select Edit>Paste from the menu.
   Close Visual Basic by selecting File>Close and Return to Microsoft Word from the menu.
   Save the county template.

2. Add the bookmarks to the county template for the data items listed in this mapping.
   Put the insertion point where the data needs to be inserted.
   Under menu command select "Insert", then "bookmark…", then add the bookmark name.
   Repeat for each bookmark.
   Save the county template.

3. Add the template to CWSCMS using "template management" within RESOURCE MANAGER.

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
			Parameters Passed : REFERRAL.ID and CLIENT.ID or CASE.ID The client id will be the focus client if invoked from case. The client id will be selected from all child clients if invoked from referral.	
			All data is from the local workstation cache. The user is responsible for the formatting of the template.	
			All references to CLIENT or CLIENT.Id are references to the Passed Parameter unless otherwise noted and is the Child Client. CC in item number and bookmark name is acronym for Child Client	
CC1.	Client ID	CCID	CLIENT.Id Convert to 22 character format.	22
CC2.	First Name of Client	CCFirstName	CLIENT.Common First Name	20
CC3.	Middle Name of Client	CCMiddleName	CLIENT.Common Middle Name	20
CC4.	Last Name of Client	CCLastName	CLIENT.Common Last Name	25
CC4a.	Name of Client	CCName	CLIENT.Common First Name + .Common Middle Initial +.Common Last Name	49
CC5	Birthdate	CCBirthDate	CLIENT(where .Estimated_DOB_Code != Y).Birth Date else leave blank.	10
CC5a.	Age of Child	CCAge	*System_Date* - CLIENT. Birth_Date Populate the control with the difference between the *System_Date* and the Client's Birth_Date; If the difference is greater than or equal to a year, then the age is calculated in years; otherwise it will be calculated in months if it falls within 30 and 364 days (inclusive); otherwise it will be calculated in days. Display the Age of Child (1, 2, 3, etc.). Note: If client is dead, use DEATH_DATE in place of system date to determine age.	2

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CC5b.	Age Unit of Child	CCAgeUnit	*System_Date* - CLIENT. Birth_Date Populate the control with the difference between the *System_Date* and the Client's Birth_Date; If the difference is greater than or equal to a year, then the age is calculated in years; otherwise it will be calculated in months if it falls within 30 and 364 days (inclusive); otherwise it will be calculated in days. Display the Age Code (Year(s), Month(s), etc.). Note: If client is dead, use DEATH_DATE in place of system date to determine age.	8
CC6.	SSN	CCSSN	CLIENT.Social Security Number	11
CC7.	Gender	CCGender	CLIENT. Gender Code	1
CC8.	Child Primary Ethnicity	CCPriEthnicity	CLIENT .Primary_Ethnicity_Type (Short Description)	28
CC9.	Protective Custody Warrant Date	CCWarrantDate	If from case: CASE>COURT RESULT(FKCASE_HRT)(where COURT_FINDING_ORDER_TYPE = Protective Custody Warrant Issued)(FKCASE_HR0)>HEARING.Date(Latest) Else if from referral REFERRAL>COURT RESULT(FKRV_HR1)(where COURT_FINDING_ORDER_TYPE = Protective Custody Warrant Issued)(FKRV_HRT)>HEARING.Date(Latest)	10
CC10.	Child ICWA Eligibility	CCICWAEligibility	CLIENT >CHILD_CLIENT.Icwa_Eligibilty_Code If Icwa_Eligibilty_Code = "Y" then display "Yes" else if Icwa_Eligibilty_Code = "N" then display "No" else if Icwa_Eligibilty_Code = "U" then display "Not Asked" else if Icwa_Eligibilty_Code = "P" then display "Pending"	9
CC11.	Birth Facility	CCBirthFacility	CLIENT. BIRTH_FACILITY_NAME	35
CC11a.	Birth City	CCBirthCity	CLIENT. BIRTH_CITY	35
CC11b.	Birth State	CCBirthState	CLIENT. BIRTH_STATE_CODE_TYPE(short description)	
CC12.	Child Religion	CCReligion	CLIENT .Religion_Type (Short Description)	25

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CC13.	Immigration Status	CCImmigration	If CLIENT. Immigration Status Type(Short Description)	31
CC14.	Assistance Unit	CCAssistanceUnit	CLIENT> STATE_ID_NUMBER(where end_date = null) .Assistance_Unit_Code	1
CC15.	Current Aid Code	CCCurrentAidCode	CLIENT> STATE_ID_NUMBER (where end_date = null) >STATE_ID_AID_CODE(where end_date = null). Aid_Code_Type((short Description + long Description) Format as Aid_Code_Type(short Description) + " – " + Aid_Code_Type(long Description)	40
CC16.	Aid Code Start Date	CCAidCodeStartDate	CLIENT> STATE_ID_NUMBER (where end_date = null) >STATE_ID_AID_CODE(where end_date = null).Start Date	10
CC17.	Person Number	CCPersonNumber	CLIENT> STATE_ID_NUMBER (where end_date = null).Person_Number	2
CC18.	Serial Number	CCSerialNumber	CLIENT> STATE_ID_NUMBER(where end_date = null) .Serial_Number	7
CC19.	Service Component Type	CCSrvcComponentType (formerly named) CCServiceComponentType	CASE>CASE_SERVICE_COMPONENT(Where END_DATE = null).Service_Component_Type(Short Description)	20
CC19a.	Child E-mail Address	CCEmailAddress	CLIENT.Email_Address	SCR 8341 (R6.3)
CC20.	Eligibility Worker Caseload Name	CCCaseloadName	If from case: CASE>ASSIGNMENT (Where Established For Id = CASE.Id and .Established For Code = "C" and .Type of Assignment Code = "S" and .End Date = Blank and SECONDARY_ASSIGNMENT_ROLE_TYPE=Eligibility Worker)>CASE_LOAD (Where End Date = Blank).Identifier Name Else if from referral: REFERRAL>ASSIGNMENT (Where Established For Id = REFERRAL.Id and .Established For Code = "R" and .Type of Assignment Code = "S" and .End Date = Blank and SECONDARY_ASSIGNMENT_ROLE_TYPE=Eligibility Worker)>CASE_LOAD (Where End Date = Blank).Identifier Name.	30
CC21.	Court Case Number	CCCourtCaseNumber	CLIENT>CHILD CLIENT>JUVENILE COURT NUMBER(where End Date = null).Case_Number	10

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CC22.	AKA	CCAKA	CLIENT>OTHER_CLIENT_NAME. NAME_PREFIX_DESCRIPTION + FIRST_NAME + MIDDLE_NAME + LAST_NAME + SUFFIX_TITLE_DESCRIPTION Note: If more than one name, separate names with carriage return.	
CC23.	Related Clients	CCRelatedClients	CLIENT>CLIENT_RELATIONSHIP>CLIENT(Related). Common_First_Name + Common_Middle_Name (Initial Only) + Common_Last_Name If more than one relative, the user must choose from the list displayed in a dialog box.	
CC24.	Tribal Affiliation	CCTribeName	CLIENT>CHILD_CLIENT>TRIBAL_MEMBERSHIP_VERIFICATION. Indian_Tribe_Type(Short Description) Note: If more than one tribal affiliation, separate tribal affiliations with carriage return.	SCR 8110 – ICWA (R6.1)
CC25.	IEP Records Exist	CCIEPRecordsExist	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date) >EDUCATION_RECORD(where (End Date = null or End Date > System Date) and Education Record Type = IEP) If found enter "Yes" else enter "No".	3
CC26.	School Child Last Attended	CCLastSchool	Note: This is the previous school the child attended. CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date not null and End Date <= System Date) and MAX Start Date)>EDUCATION_PROVIDER.Name	
CC27.	Grade Level	CCGradeLevel	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date). Education Grade Level Type(short description)	
CC28.	Education Provider"s Name	CCProviderName	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date)>EDUCATION_PROVIDER.Name	
CC29.	Education Provider's Street Number	CCProviderStreetNum	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date)> EDUCATION_PROVIDER .Street Number	
CC30.	Education Provider's Street Name	CCProviderStreetName	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date)> EDUCATION_PROVIDER.Street Name	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CC31.	Education Provider's City	CCProviderCity	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date)> EDUCATION_PROVIDER.City Name	
CC32.	Education Provider's State	CCProviderState	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date)> EDUCATION_PROVIDER .State Code Type(short description)	
CC33.	Education Provider's Zip	CCProviderZip	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date)> EDUCATION_PROVIDER .Zip Number + Zip Suffix Number	
CC34	Current Placement Start Date	CCPlacementStartDate	CLIENT>PLACEMENT_EPISODE(Where end_date is null)> OUT_OF_HOME_PLACEMENT (Where end_date is null or future end dated).Start_Date	10
CC35.	Placement Active Rate Total	CCPlacementRate	CLIENT>PLACEMENT_EPISODE(Where end_date is null)> OUT_OF_HOME_PLACEMENT (Where end_date is null or future end dated) ONGOING_PAYMENT_REQUEST (where BASIC_RATE_IND=Y).Basic_Rate_Amount	7
CC36.	Removal Date	CCRemovalDate	CLIENT>PLACEMENT_EPISODE(Where end_date is null).Removal_Date	10
CC37.	Name of Relative From Whom Child Was Removed	CCRemovalName	CLIENT>PLACEMENT_EPISODE(Where end_date is null). REMOVED_FROM_CARETAKER_NAME	35
CC38.	Confidentiality Action Date	CCConfidentialtyDate (formerly named) CCConfidentialityDate	CLIENT. CONFIDENTIALITY_ACTION_DATE	10
CC39.	Termination of Parental Rights Date	CCTerminationDate	CLIENT>CHILD_CLIENT(where PARENTAL_RIGHTS_TERMINTN_IND_VAR = Yes)> PARENTAL_RIGHT_TERMINATION.Date	10
CC40.	Health Summary	CCHealthSummary	CLIENT. HEALTH_SUMMARY_TEXT>LONG_TEXT	
CC41.	Teacher's Name	CCTeacherName	CLIENT>CHILD_CLIENT>EDUCATION_ENROLLMENT(where (End Date = null or End Date > System Date) and MAX Start Date).TEACHER_NAME	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CC42.	Dependency Date	CCDependencyDate	If from case: CASE>COURT RESULT(FKCASE_HRT)(where COURT_FINDING_ORDER_TYPE = Dependency Declared) (FKCASE_HR0) > HEARING.Date(Latest) Else if from referral REFERRAL>COURT RESULT(FKRV_HR1)(where COURT_FINDING_ORDER_TYPE = Dependency Declared) (FKRV_HRT)>HEARING.Date(Latest)	
CC43.	Dr. Last Name	CCDrLastName	CLIENT>CHILD_CLIENT>CLIENT_SERVICE_PROVIDER (where END_DATE = NULL)>SERVICE PROVIDER(where SERVICE_PROVIDER_TYPE = Medical). LAST_NAME If more than one service provider (doctor), the user must choose from the list displayed in a dialog box.	
CC44.	Dr. First Name	CCDrFirstName	CLIENT>CHILD_CLIENT>CLIENT_SERVICE_PROVIDER (where END_DATE = NULL)>SERVICE PROVIDER(where SERVICE_PROVIDER_TYPE = Medical). FIRST_NAME If more than one service provider (doctor), the user must choose from the list displayed in a dialog box.	
CC45.	Dr. Address	CCDrAddress	CLIENT>CHILD_CLIENT>CLIENT_SERVICE_PROVIDER (where END_DATE = NULL)>SERVICE PROVIDER(where SERVICE_PROVIDER_TYPE = Medical). STREET_NUMBER + STREET_NAME + carriage return + CITY_NAME + STATE_CODE_TYPE(short description) + ZIP_NUMBER + ZIP_SUFFIX_NUMBER If more than one service provider (doctor), the user must choose from the list displayed in a dialog box.	
CC45a.	Dr. E-mail Address	CCDrEmailAddress	CLIENT> CHILD_CLIENT> CLIENT_SERVICE_PROVIDER (where End_Date = NULL)>SERVICE_PROVIDER (where Service_Provider_Type = Medical).Email_Address. If more than one SERVICE_PROVIDER (doctor), the user must choose from the list displayed in a dialog box.	SCR 8341 (R6.3)
CC46.	Type of Placement	CCTypeOfPlacement	CLIENT > PLACEMENT_EPISODE (where end_date = null) > OUT_OF_HOME_PLACEMENT where (.End_Date > System Date, if it exists, else .End_Date = null) .S_C_P_RELATIONSHIP_TO_CHILD_TYPE (short description)	

			HEARING – used in CT1 thru CT3
			
			If Referral Key passed:
			
			   Referral>Referral Victim Hearing(Where FKREFR_CLT = CHILD CLIENT(passed parameter))>
			
			      HEARING(where HEARING.Date is the latest)
			
			Or if Case Key passed:
			
			   CASE>CASE HEARING>HEARING(where HEARING.Date is the latest)
			
			Bookmarks prefixed with CT are for court/hearing	

Report/Document Field Definitions

Report Title			R/D Format	Index No.	Date	Page
Automation for County User Defined Templates			Report	LAMap	5-Sept-13	8 of 28

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CT1.	Court Name	CTCourtName	HEARING>COURT.Juvenile_Court_Name	35
CT2.	Next Hearing Date	CTNextHearingDate	HEARING.Next_Hearing_Date	10
CT3.	Court Department Number	CTCourtDeptNumber	HEARING.Court_Department_Number	6
CT4.	Hearing Type	CTHearingType	If Referral Key passed: Referral>Referral Victim Hearing(Where FKREFR_CLT = CHILD CLIENT(passed parameter)).Hearing_Type(short description) Or if Case Key passed: CASE>CASE HEARING.Hearing_Type(short description)	
CT5.	(WIC) code	CTWICCode	If Referral Key passed: CLIENT> REFERRAL_ CLIENT > REFERRAL_VICTIM_PETITION > PETITION.(where .Petition_Status_Type = "Sustained")> (all)PETITION_A_J_CATEGORY.Court_WIC_A_J_Type (user defined code) Or if Case Key passed: CLIENT> CHILD_CLIENT > CASE> (all)CASE_PETITION> PETITION.(where .Petition_Status_Type = "Sustained") > (all)PETITION_A_J_CATEGORY.Court_WIC_A_J_Type (user defined code) If more than one, separate with a comma and space.	
CT6.	Jurisdiction Date	CTJurisdictionDate	If Referral Key passed: Referral>Referral Victim Hearing>HEARING(where HEARING_TYPE = Jurisdiction and HEARING.Date is the latest) . DATE Or if Case Key passed: CASE>CASE HEARING>HEARING(where HEARING_TYPE = Jurisdiction and HEARING.Date is the latest) . DATE	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size

CT7.	Disposition Date	CTDispositionDate	If Referral Key passed:
			
			    Referral>Referral Victim Hearing>HEARING(where HEARING_TYPE = Disposition and HEARING.Date is
			
			        the latest) . DATE
			
			Or if Case Key passed:
			
			    CASE>CASE HEARING(where HEARING_TYPE = Disposition)>HEARING(where HEARING.Date
			
			        is the latest). DATE	

AC1.	Date Adopted Granted	ACDateAdopted	CLIENT>ADOPTIVE_CHILD_CLIENT>ADOPTIVE_PLACEMENT (where ADOPTION_AGREEMENT_SIGNED_DATE is null or latest date).Finalization_Date	10
AC2.	New Last Name	ACLastName	CLIENT>ADOPTIVE_CHILD_CLIENT.Last_Name	25
AC3.	New First Name	ACFirstName	CLIENT>ADOPTIVE_CHILD_CLIENT.First_Name	20
AC4.	New Middle Name	ACMiddleName	CLIENT>ADOPTIVE_CHILD_CLIENT.Middle_Name	20
AC5.	Federal AFDC-FC Eligibility Requirements	ACEligibilityInd	CLIENT>ADOPTIVE_CHILD_CLIENT. TITLE_IV_E_ELIGIBILITY_IND(Y or N)	1
AC6.	Expected Eligibility End Date	ACEligibilityEndDate	CLIENT>ADOPTIVE_CHILD_CLIENT. EXPECTED_ELIGIBILITY_END_DATE	10
AC7.	Freed By Date	ACFreedDate	CLIENT>ADOPTIVE_CHILD_CLIENT. LEGALLY_FREE_DATE	10
AC8.	Adoption Fee Code	ACAdoptionFeeCode	CLIENT>ADOPTIVE_CHILD_CLIENT>ADOPTIVE_PLACEMENT(where ADOPTION_AGREEMENT_SIGNED_DATE is null or latest date).Fee_Code	1
			ADOPTION ASSISTANCE SECTION: CLIENT > ADOPTIVE_CHILD_CLIENT > ADOPTIVE_PLACEMENT(where MAX .Adoption_Agreement_Signed_Date) > ADOPTION_ASSISTANCE_AGREEMENT(where MAX .Start_Date) ADOPTION_ASSISTANCE_AGREEMENT is used for items AC9 and AC10.	
AC9.	AAP Monthly Payment Rate	ACMonthlyRate	ADOPTION_ASSISTANCE_AGREEMENT. FOSTER_CARE_RATE	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
AC10.	Date Effective	ACDateEffective	ADOPTION_ASSISTANCE_AGREEMENT. START_DATE	
			FATHER - as derived by: CLIENT >CLIENT RELATIONSHIP(Primary or Secondary where end date is null)>CLIENT (Father) where .CLIENT RELATIONSHIP.Client Relationship Type starts with 'Father/', and the child is identified as the secondary individual, OR .Client Relationship contains '/Father' (i.e., 'Father' is the second part of the relationship), and the child is identified as the primary individual. *Note: Since a child can have several types of Fathers, use the following search hierarchy: Adoptive, Birth, Presumed, Alleged, Step, . Foster parent should not be used.* FATHER is the CLIENT (Father) and is used for items FC1 thru FC28	SCR 7605 (R6.3)
FC1.	Father Client ID Number	FCID	FATHER.Id Convert to 22 character format.	22
FC2.	Father's First Name	FCFirstName	FATHER.Common First Name	20
FC3.	Father's Middle Name	FCMiddleName	FATHER.Common Middle Name	20
FC4.	Father's Last Name	FCLastName	FATHER.Common Last Name	25
FC5.	Father's Birth Date	FCBirthDate	FATHER (where .Estimated_DOB_Code != Y).Birth Date else leave blank.	
FC6.	Father's SSN	FCSSN	FATHER.Social Security Number	
FC7.	Father's Driver License Number	FCLicenseNumber	FATHER.DRIVER_LICENSE_NUMBER	
FC8.	Father's Primary Language	FCPriLanguage	FATHER.PRIMARY_LANGUAGE_TYPE(short description)	
FC9.	Father's Primary Ethnicity	FCPriEthnicity	FATHER.PRIMARY_ETHNICITY_TYPE (short description)	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
FC9a.	Father's E-mail Address	FCEmailAddress	FATHER.Email_Address	SCR 8341 (R6.3)
FC10.	Bench Warrant Date	FCWarrantDate	If from case: CASE>COURT RESULT(FKCASE_HRT)(where COURT_FINDING_ORDER_TYPE = Bench Warrant Issued)(FKCASE_HR0)>HEARING.Date(Latest) Else if from referral REFERRAL>COURT RESULT(FKRV_HR1)(where COURT_FINDING_ORDER_TYPE = Bench Warrant Issued)(FKRV_HRT)>HEARING.Date(Latest)	
FC11.	Father's AKA	FCAKA	FATHER>OTHER_CLIENT_NAME. NAME_PREFIX_DESCRIPTION + FIRST_NAME + MIDDLE_NAME + LAST_NAME + SUFFIX_TITLE_DESCRIPTION Note: If more than one name, separate names with carriage return.	
			Father's address: Type = Permanent Mailing address (See note regarding foreign addresses at the end of this mapping document)	
FC12.	Father's Address Street Number	FCStreetNumber	FATHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	
FC13.	Father's Address Street Name	FCStreetName	FATHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
FC14.	Father's Address City Name	FCCityName	FATHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
FC15.	Father's Address State	FCState	FATHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
FC16.	Father's Address Zip Code	FCZipCode	FATHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
FC12b.	Father's Business Address Street Number	FCBusStreetNumber	FATHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
FC13b.	Father's Business Address Street Name	FCBusStreetName	FATHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
FC14b.	Father's Business Address City Name	FCBusCityName	FATHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
FC15b.	Father's Business Address State	FCBusState	FATHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
FC16b.	Father's Business Address Zip Code	FCBusZipCode	FATHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
FC17.	Father's Booking Number	FCBookingID	FATHER > CLIENT_ADDRESS (where Address_Type = Penal Institution and Effective_End_Date = null, else greater than system date). BOOKING_OR_INMATE_ID	
FC18.	Father's Birth Facility	FCBirthFacility	FATHER. BIRTH_FACILITY_NAME	35
FC18a.	Father's Birth City	FCBirthCity	FATHER. BIRTH_CITY	35
FC18b.	Father's Birth State	FCBirthState	FATHER. BIRTH_STATE_CODE_TYPE(short description)	
FC19.	Father's Religion	FCReligion	FATHER.RELIGION_TYPE(short description)	
FC20.	Father's Deceased Date	FCDeceasedDate	FATHER.DEATH_DATE	
FC21.	Father's Death Circumstances Type	FCDeathType	FATHER.DEATH_REASON_TEXT>LONG_TEXT	
FC22.	Father's Military Status	FCMilitaryStatus	FATHER.MILITARY_STATUS_CODE	1
FC23.	Father's Immigration Status	FCImmigration	FATHER.IMMIGRATION_STATUS_TYPE(short description)	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
FC24.	Father's Marriage Beginning Date	FCMarriageBeginDate	FATHER > MARITAL_COHABITATION_HISTORY(where MARRIED_CODE = YES).BEGIN_DATE	
FC25.	Father's Marriage Termination Date	FCMarriageEndDate	FATHER > MARITAL_COHABITATION_HISTORY(where MARRIED_CODE = YES). END_DATE	
FC26.	Father's Marriage Termination Type	FCMarriageTermType	FATHER > MARITAL_COHABITATION_HISTORY(where MARRIED_CODE = YES). MARRIAGE_TERMINATION_TYPE(short description)	
FC27.	Father's Parental Rights Effective Date	FCRightsEffectvDate (formerly named) FCRightsEffectiveDate	FATHER>PTRNYDET(where PATERNITY_ESTABLISHED_CODE = Alleged father is Legal father and FKCHLD_CLT = CLIENT.ID). PATERNITY_HEARING_DATE	
FC28.	Father's Parental Rights Termination	FCRightsTermDate	FATHER>PARENTAL_RIGHT_TERMINATION(where CLIENT = FKCHLD_CLT).Date	
FC29.	Father's Attorney Name	FCAttorney	FATHER >CLIENT_ATTORNEY(where End_Date = NULL)> ATTORNEY.(First Name + MIDDLE_INITIAL_NAME + Last Name)	
FC29a	Father's Attorney's E-mail Address	FCAttorneyEmailAddress	FATHER > CLIENT_ATTORNEY (where End_Date = NULL) > ATTORNEY.Email_Address	SCR 8341 (R6.3)
			LEGAL GUARDIAN - as derived by: CLIENT > CLIENT RELATIONSHIP(Primary or Secondary where end date is null) >CLIENT (Legal Guardian) where .CLIENT RELATIONSHIP.Client Relationship Type starts with 'Guardian/', and the child is identified as the secondary individual, OR .Client Relationship contains '/Guardian' (i.e., ' LEGAL GUARDIAN' is the second part of the relationship), and the child is identified as the primary individual. GUARDIAN is the CLIENT (Legal Guardian) and is used for items 83 thru 99	
GC1.	Guardian Client ID Number	GCID	GUARDIAN.Id Convert to 22 character format.	
GC2.	Guardian's First Name	GCFirstName	GUARDIAN.Common First Name	
GC3.	Guardian's Middle Name	GCMiddleName	GUARDIAN.Common Middle Name	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
GC4.	Guardian's Last Name	GCLastName	GUARDIAN.Common Last Name	
GC5.	Guardian's Date of Birth	GCBirthDate	GUARDIAN (where .Estimated_DOB_Code != Y).Birth Date else leave blank.	
GC6.	Guardian's SSN	GCSSN	GUARDIAN.Social Security Number	
GC7.	Guardian's Driver License Number	GCLicenseNumber	GUARDIAN.DRIVER_LICENSE_NUMBER	
GC7a.	Guardian's E-mail Address	GCEmailAddress	GUARDIAN.Email_Address	SCR 8341 (R6.3)
GC8.	Guardian's Primary Language	GCPriLanguage	GUARDIAN.PRIMARY_LANGUAGE_TYPE(short description)	
GC9.	Guardian's Primary Ethnicity	GCPriEthnicity	GUARDIAN.PRIMARY_ETHNICITY_TYPE (short description)	
GC10.	Guardian's Religion	GCReligion	GUARDIAN.RELIGION_TYPE(short description)	
GC11.	Guardian's Birth Facility	GCBirthFacility	GUARDIAN.BIRTH_FACILITY_NAME	35
GC11a.	Guardian's Birth City	GCBirthCity	GUARDIAN. BIRTH_CITY	35
GC11b.	Guardian's Birth State	GCBirthState	GUARDIAN. BIRTH_STATE_CODE_TYPE(short description)	
GC12.	Guardian's AKA	GCAKA	GUARDIAN >OTHER_CLIENT_NAME. NAME_PREFIX_DESCRIPTION + FIRST_NAME + MIDDLE_NAME + LAST_NAME + SUFFIX_TITLE_DESCRIPTION Note: If more than one name, separate names with carriage return.	
			Guardian's address: Type = Permanent Mailing address (See note regarding foreign addresses at the end of this mapping document)	
GC13.	Guardian's Address Street Number	GCStreetNumber	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
GC14.	Guardian's Address Street Name	GCStreetName	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
GC15.	Guardian's Address City Name	GCCityName	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
GC16.	Guardian's Address State	GCState	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
GC17.	Guardian's Address Zip Code	GCZipCode	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
GC13b.	Guardian's Business Address Street Number	GCBusStreetNumber	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	
GC14b.	Guardian's Business Address Street Name	GCBusStreetName	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
GC15b.	Guardian's Business Address City Name	GCBusCityName	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
GC16b.	Guardian's Business Address State	GCBusState	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
GC17b.	Guardian's Business Address Zip Code	GCBusZipCode	GUARDIAN > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
GC18.	Guardian's Attorney	GCAttorney	GUARDIAN >CLIENT_ATTORNEY(where End_Date = NULL)> ATTORNEY.(First Name + MIDDLE_INITIAL_NAME + Last Name)	
GC18a.	Guardian's Attorney's E-mail Address	GCAttorneyEmailAddress	GUARDIAN > CLIENT_ATTORNEY (where End_Date = NULL) > ATTORNEY.Email_Address	SCR 8341 (R6.3)

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
			MOTHER - as derived by: CLIENT > CLIENT RELATIONSHIP(Primary or Secondary where end date is null) >CLIENT (Mother) where .CLIENT RELATIONSHIP.Client Relationship Type starts with 'Mother/', and the child is identified as the secondary individual, OR .Client Relationship contains '/Mother' (i.e., 'Mother' is the second part of the relationship), and the child is identified as the primary individual. ***Note:*** *Since a child can have several types of Mothers, use the following search hierarchy: Adoptive, Birth, Presumed, Alleged, Step,. Foster parent should not be used.* MOTHER is the CLIENT (Mother) and is used for items MC1 thru MC28	SCR 7605 (R6.3)
MC1.	Mother Client ID Number	MCID	MOTHER.Id Convert to 22 character format.	
MC2.	Mother's First Name	MCFirstName	MOTHER.Common First Name	
MC3.	Mother's Middle Name	MCMiddleName	MOTHER.Common Middle Name	
MC4.	Mother's Last Name	MCLastName	MOTHER.Common Last Name	
MC5.	Mother's Date of Birth	MCBirthDate	MOTHER. (where .Estimated_DOB_Code != Y).Birth Date else leave blank.	
MC6.	Mother's SSN	MCSSN	MOTHER.Social Security Number	
MC7.	Mother's Driver License Number	MCLicenseNumber	MOTHER.DRIVER_LICENSE_NUMBER	
MC8.	Mother's Primary Language	MCPriLanguage	MOTHER.PRIMARY_LANGUAGE_TYPE(short description)	
MC9.	Mother's Primary Ethnicity	MCPriEthnicity	MOTHER.PRIMARY_ETHNICITY_TYPE (short description)	
MC9a.	Mother's E-mail Address	MCEmailAddress	MOTHER.Email_Address	SCR 8341 (R6.3)

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
MC10.	Mother's Bench Warrant Date	MCWarrantDate	If from case: CASE>COURT RESULT(FKCASE_HRT)(where COURT_FINDING_ORDER_TYPE = Bench Warrant Issued)(FKCASE_HR0)>HEARING.Date(Latest) Else if from referral REFERRAL>COURT RESULT(FKRV_HR1)(where COURT_FINDING_ORDER_TYPE = Bench Warrant Issued)(FKRV_HRT)>HEARING.Date(Latest)	
MC11.	Mother's Birth Facility	MCBirthFacility	MOTHER. BIRTH_FACILITY_NAME	35
MC11a.	Mother's Birth City	MCBirthCity	MOTHER. BIRTH_CITY	35
MC11b.	Mother's Birth State	MCBirthState	MOTHER. BIRTH_STATE_CODE_TYPE(short description)	
MC12.	Mother's Religion	MCReligion	MOTHER.RELIGION_TYPE(short description)	
MC13.	Mother's Immigration Status	MCImmigration	MOTHER.IMMIGRATION_STATUS_TYPE(short description)	
MC14.	Mother's Deceased Date	MCDeceasedDate	MOTHER .DEATH_DATE	
MC15.	Mother's Death Circumstances Type	MCDeathType	MOTHER.DEATH_REASON_TEXT>LONG_TEXT	
MC16.	Mother's Military Status	MCMilitaryStatus	MOTHER.MILITARY_STATUS_CODE(code description)	
MC17.	Mother's AKA	MCAKA	MOTHER >OTHER_CLIENT_NAME. NAME_PREFIX_DESCRIPTION + FIRST_NAME + MIDDLE_NAME + LAST_NAME + SUFFIX_TITLE_DESCRIPTION Note: If more than one name, separate names with carriage return.	
			Mother's address: Type = Permanent Mailing address (See note regarding foreign addresses at the end of this mapping document)	
MC18.	Mother's Address Street Number	MCStreetNumber	MOTHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
MC19.	Mother's Address Street Name	MCStreetName	MOTHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
MC20.	Mother's Address City Name	MCCityName	MOTHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
MC21.	Mother's Address State	MCState	MOTHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
MC22.	Mother's Address Zip Code	MCZipCode	MOTHER > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
MC18b.	Mother's Business Address Street Number	MCBusStreetNumber	MOTHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	
MC19b.	Mother's Business Address Street Name	MCBusStreetName	MOTHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
MC20b.	Mother's Business Address City Name	MCBusCityName	MOTHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
MC21b.	Mother's Business Address State	MCBusState	MOTHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
MC22b.	Mother's Business Address Zip Code	MCBusZipCode	MOTHER > CLIENT_ADDRESS (where Address_Type = Business address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
MC23.	Mother's Booking Number	MCBookingID	MOTHER > CLIENT_ADDRESS (where Address_Type = Penal Institution and Effective_End_Date = null, else greater than system date). BOOKING_OR_INMATE_ID	
MC24.	Mother's Marriage Beginning Date	MCMarriageBeginDate	MOTHER > MARITAL_COHABITATION_HISTORY.BEGIN_DATE	
MC25.	Mother's Marriage Termination Date	MCMarriageEndDate	MOTHER > MARITAL_COHABITATION_HISTORY. END_DATE	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
MC26.	Mother's Marriage Termination Type	MCMarriageTermType	MOTHER > MARITAL_COHABITATION_HISTORY. MARRIAGE_TERMINATION_TYPE(short description)	
MC27.	Mother's Parental Rights Termination	MCRightsTermDate	MOTHER > PARENTAL_RIGHT_TERMINATION(where CLIENT = FKCHLD_CLT).Date	
MC28.	Mother's Attorney Name	MCAttorney	MOTHER >CLIENT_ATTORNEY(where End_Date = NULL)> ATTORNEY.(First Name + MIDDLE_INITIAL_NAME + Last Name)	
MC28a.	Mother's Attorney's E-mail Address	MCAttorneyEmailAddress	MOTHER > CLIENT_ATTORNEY (where End_Date = NULL) > ATTORNEY.Email_Address	SCR 8341 (R6.3)
			PERPETRATOR - as derived by: REFERRAL (where REFERRAL.Id = Passed Parameter) > (all) ALLEGATION >CLIENT> (Named_As_Perpetrator) NOTE: Only use substantiated and Inconclusive allegations where the allegation is NOT for 'General Neglect' or 'Caretaker Absence'. If more than one, the user must choose from a list displayed using a dialog box. PERPETR is the CLIENT (Alleged Perpetr) and is used for items 130 thru 145	
PC1.	Perpetrator Client ID Number	PCID	PERPETR.Id Convert to 22 character format.	
PC2.	Perpetrator's First Name	PCFirstName	PERPETR.Common First Name	
PC3.	Perpetrator's Middle Name	PCMiddleName	PERPETR.Common Middle Name	
PC4.	Perpetrator's Last Name	PCLastName	PERPETR.Common Last Name	
PC5.	Perpetrator's Date of Birth	PCBirthDate	PERPETR. (where .Estimated_DOB_Code != Y).Birth Date else leave blank.	
PC6.	Perpetrator's SSN	PCSSN	PERPETR.Social Security Number	
PC7.	Perpetrator's Driver License Number	PCLicenseNumber	PERPETR.DRIVER_LICENSE_NUMBER	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
PC8.	Perpetrator's Primary Language	PCPriLanguage	PERPETR.PRIMARY_LANGUAGE_TYPE(short description)	
PC10.	Perpetrator's AKA	PCAKA	PERPETR >OTHER_CLIENT_NAME. NAME_PREFIX_DESCRIPTION + FIRST_NAME + MIDDLE_NAME + LAST_NAME + SUFFIX_TITLE_DESCRIPTION Note: If more than one name, separate names with carriage return.	
PC11.	Perpetrator's Address Street Number	PCStreetNumber	PERPETR > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Street_Number	
PC12.	Perpetrator's Address Street Name	PCStreetName	PERPETR > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS. Street_Name	
			Perpetrator's address: Type = Permanent Mailing address (See note regarding foreign addresses at the end of this mapping document)	DPU 14620280 (R.6.3.2)
PC13.	Perpetrator's Address City Name	PCCityName	PERPETR > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.City_Name	
PC14.	Perpetrator's Address State	PCState	PERPETR > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.State_Code_Type (short description)	
PC15.	Perpetrator's Address Zip Code	PCZipCode	PERPETR > CLIENT_ADDRESS (where Address_Type = Permanent Mailing address and Effective_End_Date = null, else greater than system date) > ADDRESS.Zip_Number + Zip_Suffix_Number	
PC16.	Perpetrator's E-mail Address	PCEmailAddress	PERPETR.Email_Address	SCR 8341 (R6.3)
			REFERRAL SECTION: Referral.Id REFERRAL is the Referral.Id parameter passed and is used for items 146 thru 157	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
RF1.	Referral ID	RFID	REFERRAL (where REFERRAL.Id = Passed Parameter). Id (Use standard algorithm to convert stored 10-byte field to 19 characters for display)	
RF2.	Primary Social Worker's Name	RFSWName	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> STAFF PERSON CASE LOAD (where STAFF PERSON CASE LOAD.End Date = null)> STAFF PERSON.First Name + Middle Initial Name + Last Name + Suffix.	
RF3.	Primary Social Worker's Address	RFSWAddress	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> STAFF_PERSON_CASE_LOAD> STAFF_PERSON > CWS OFFICE_ADDRESS.Street Number + Street Name + carriage return + CWS OFFICE_ADDRESS. CITY_NAME + STATE_CODE_TYPE(short description) + Zip Number + Zip Suffix Number	
RF4.	Primary Social Worker's Region	RFSWRegion	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. GEOGRAPHIC_REGION_TEXT_CODE	
RF5.	Primary Social Worker's Office Number	RFSWOfficeNumber	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. NUMBER	
RF6.	Primary Social Worker's Telephone Number	RFSWPhone	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. PRIMARY_PHONE_NUMBER + PRIMARY_PHONE_EXTENSION_NUMBER	
RF6a.	Primary Social Worker's E-mail Address	RFSWEmailAddress	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where .Established For Id = REFERRAL.Id and .Established For Code = 'R' and .End_Date = null and .Type of Assignment Code = 'P')> CASE_LOAD> STAFF_PERSON_CASE_LOAD (where .End_Date = null)> STAFF_PERSON.Email_Address	SCR 8341 (R6.3)
RF7.	Primary Social Worker's Caseload Name	RFSWCLName	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD. IDENTIFIER_NAME	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
RF8.	Supervisor's Name	RFSupName	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P") > CASE_LOAD > ASSIGNMENT_UNIT>STAFF_PERSON_UNIT_AUTHORITY (where Authority Code = "S")>STAFF_PERSON. Name Prefix Description +First Name + Middle Initial Name + Last Name + Suffix Title Description.	
RF9.	Primary Social Worker's Job Title	RFSWJobTitle	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> STAFF PERSON CASE LOAD (where STAFF PERSON CASE LOAD.End Date = null)> STAFF PERSON. JOB_TITLE_DESCRIPTION	
RF10.	Supervisor's Phone Number	RFSupPhone	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P") > CASE_LOAD > ASSIGNMENT_UNIT>STAFF_PERSON_UNIT_AUTHORITY (where Authority Code = "S")>STAFF_PERSON. PHONE_NUMBER + PHONE_EXTENSION_NUMBER	
RF10a.	Supervisor's E-mail Address	RFSupEmailAddress	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where .Established For Id = REFERRAL.Id and .Established For Code = 'R' and .End_Date = null and .Type of Assignment Code = 'P')> CASE_LOAD> ASSIGNMENT_UNIT> STAFF_PERSON_UNIT_AUTHORITY (where Authority Code = 'S')> STAFF_PERSON.Email_Address	SCR 8341 (R6.3)
RF11.	Name of Agency	RFAgencyName	REFERRAL(where REFERRAL.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = REFERRAL.Id and ASSIGNMENT.Established For Code = "R" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. AGENCY_NAME	
			CASE SECTION: Case.Id CASE is the Case.Id parameter passed and is used for items 158 thru 167	
CS1.	Case ID	CSID	CASE (where CASE.Id = Passed Parameter). Id (Use standard algorithm to convert stored 10-byte field to 19 characters for display)	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CS2.	Primary Social Worker's Name	CSSWName	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> STAFF PERSON CASE LOAD (where STAFF PERSON CASE LOAD.End Date = null)> STAFF PERSON.First Name + Middle Initial Name + Last Name + Suffix.	
CS3.	Primary Social Worker's Address	CSSWAddress	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> STAFF_PERSON_CASE_LOAD> STAFF_PERSON>CWS OFFICE_ADDRESS.Street Number + Street Name + carriage return + CWS OFFICE_ADDRESS. CITY_NAME + STATE_CODE_TYPE(short description) + Zip Number + Zip Suffix Number	
CS4.	Primary Social Worker's Region	CSSWRegion	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. GEOGRAPHIC_REGION_TEXT_CODE	
CS5.	Primary Social Worker's Office Number	CSSWOfficeNumber	CASE(where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. NUMBER	
CS6.	Primary Social Worker's Telephone Number	CSSWPhone	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. PRIMARY_PHONE_NUMBER + PRIMARY_PHONE_EXTENSION_NUMBER	
CS6a.	Primary Social Worker's E-mail Address	CSSWEmailAddress	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where .Established For Id = CASE.Id and .Established For Code = 'C' and .End_Date = null and .Type of Assignment Code = 'P')> CASE_LOAD > STAFF_PERSON_CASE_LOAD (where .End_Date = null)> STAFF_PERSON.Email_Address	SCR 8341 (R6.3)
CS7.	Primary Social Worker's Caseload Name	CSSWCLName	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD. IDENTIFIER_NAME	
CS8.	Supervisor's Name	CSSupName	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P") > CASE_LOAD > ASSIGNMENT_UNIT>STAFF_PERSON_UNIT_AUTHORITY (where Authority Code = "S")>STAFF_PERSON. Name Prefix Description + First Name + Middle Initial Name + Last Name + Suffix Title Description.	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
CS8a.	Supervisor's E-mail Address	CSSupEmailAddress	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where .Established For Id = CASE.Id and .Established For Code = 'C' and .End_Date = null and .Type of Assignment Code = 'P') > CASE_LOAD > ASSIGNMENT_UNIT> STAFF_PERSON_UNIT_AUTHORITY (where Authority Code = 'S')>STAFF_PERSON.Email_Address	SCR 8341 (R6.3)
CS9.	Name of Agency	CSAgencyName	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> ASSIGNMENT UNIT (where ASSIGNMENT UNIT.End Date = null)> CWS OFFICE. AGENCY_NAME	
CS10.	Primary Social Worker's Job Title	CSSWJobTitle	CASE (where CASE.Id = Passed Parameter) > ASSIGNMENT (where ASSIGNMENT.Established For Id = CASE.Id and ASSIGNMENT.Established For Code = "C" and ASSIGNMENT.End Date = null and ASSIGNMENT.Type of Assignment Code = "P")> CASE LOAD> STAFF PERSON CASE LOAD (where STAFF PERSON CASE LOAD.End Date = null)> STAFF PERSON. JOB_TITLE_DESCRIPTION	
			APPLICANT SECTION: For Adoptive Child Clients CLIENT > ADOPTIVE_CHILD_CLIENT> ADOPTIVE_PLACEMENT>ADOPTION_HOME_STUDY > PLACEMENT_HOME_SUB_CARE_PROVID > SUBSTITUTE_CARE_PROVIDER SUBSTITUTE_CARE_PROVIDER parameter is used for items 168 thru 177 If more than one, the user must choose from a list displayed using a dialog box.	
AP1.	Applicant's Last Name	APLastName	SUBSTITUTE_CARE_PROVIDER. LAST_NAME	
AP2.	Applicant's First Name	APFirstName	SUBSTITUTE_CARE_PROVIDER. FIRST_NAME	
AP3.	Applicant's Middle Initial	APMiddleInitial	SUBSTITUTE_CARE_PROVIDER. MIDDLE_INITIAL_NAME	
AP4.	Applicant's Gender	APGender	SUBSTITUTE_CARE_PROVIDER. GENDER_IND	
AP5.	Applicant's Street Number	APStreetNumber	SUBSTITUTE_CARE_PROVIDER. STREET_NUMBER	
AP6.	Applicant's Street Name	APStreetName	SUBSTITUTE_CARE_PROVIDER. STREET_NAME	
AP7.	Applicant's City Name	APCityName	SUBSTITUTE_CARE_PROVIDER. CITY_NAME	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
AP8.	Applicant's State	APState	SUBSTITUTE_CARE_PROVIDER. STATE_CODE_TYPE(Short Description)	
AP9.	Applicant's Zip Number	APZipNumber	SUBSTITUTE_CARE_PROVIDER. ZIP_NUMBER	
AP10.	Applicant's Zip Suffix Number	APZipSuffix	SUBSTITUTE_CARE_PROVIDER. ZIP_SUFFIX_NUMBER	
AP10a.	Applicant's E-mail Address	APEmailAddress	SUBSTITUTE_CARE_PROVIDER.Email_Address	SCR 8341 (R6.3)
AP11.	Applicant's Birth Date	APBirthDate	SUBSTITUTE_CARE_PROVIDER. BIRTH_DATE	
			PRIMARY SUBSTITUTE CARE PROVIDER CLIENT > PLACEMENT_EPISODE (where end_date = null) > OUT_OF_HOME_PLACEMENT where ((.End_Date > System Date), if it exists, else .End_Date = null) > PLACEMENT_HOME > PLACEMENT_HOME_SUBSTITUTE_CARE_PROVIDER (where . PRIMARY_PROVIDER_IND = Y and .End_Date = null) > SUBSTITUTE_CARE_PROVIDER SUBSTITUTE_CARE_PROVIDER parameter is used for items PP1 thru PP13	
PP1.	Primary SCP Last Name	PPLastName	SUBSTITUTE_CARE_PROVIDER. LAST_NAME	
PP2.	Primary SCP First Name	PPFirstName	SUBSTITUTE_CARE_PROVIDER. FIRST_NAME	
PP3.	Primary SCP Middle Initial	PPMiddleInitial	SUBSTITUTE_CARE_PROVIDER. MIDDLE_INITIAL_NAME	
PP4.	Primary SCP Gender	PPGender	SUBSTITUTE_CARE_PROVIDER. GENDER_IND	
PP5.	Primary SCP Street Number	PPStreetNumber	SUBSTITUTE_CARE_PROVIDER. STREET_NUMBER	
PP6.	Primary SCP Street Name	PPStreetName	SUBSTITUTE_CARE_PROVIDER. STREET_NAME	
			SCP's address: Type = Permanent Mailing address (See note regarding foreign addresses at the end of this mapping document)	DPU 14620280 (R.6.3.2)

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
PP7.	Primary SCP City Name	PPCityName	SUBSTITUTE_CARE_PROVIDER. CITY_NAME	
PP8.	Primary SCP State	PPState	SUBSTITUTE_CARE_PROVIDER. STATE_CODE_TYPE(Short Description)	
PP9.	Primary SCP Zip Number	PPZipNumber	SUBSTITUTE_CARE_PROVIDER. ZIP_NUMBER	
PP10	Primary SCP Zip Suffix Number	PPZipSuffix	SUBSTITUTE_CARE_PROVIDER. ZIP_SUFFIX_NUMBER	
PP11	Primary SCP Phone	PPPhone	SUBSTITUTE_CARE_PROVIDER > PHONE_CONTACT_DETAIL (where .Established_For_Code = 'S' and .Established_For_Id = SUBSTITUTE_CARE_PROVIDER.Id) .Phone_Number + .Phone_Extension_Number. If more than one phone number exists, then print the first number found according to the following hierarchy: .Phone_Number_Type_Code = 'C', 'A', 'H', 'W', 'F'.	SCR 8341 (R6.3)
PP11a.	Primary SCP's E-mail Address	PPEmailAddress	SUBSTITUTE_CARE_PROVIDER.Email_Address	SCR 8341 (R6.3)
PP12	Primary SCP DOB	PPBirthDate	SUBSTITUTE_CARE_PROVIDER. BIRTH_DATE	
PP13	Primary SCP SSN	PPSSN	SUBSTITUTE_CARE_PROVIDER. SOCIAL_SECURITY_NUMBER	
			SECONDARY SUBSTITUTE CARE PROVIDER CLIENT > PLACEMENT_EPISODE (where end_date = null) > OUT_OF_HOME_PLACEMENT where ((.End_Date > System Date), if it exists, else .End_Date = null) > PLACEMENT_HOME > PLACEMENT_HOME_SUBSTITUTE_CARE_PROVIDER (where . SECONDARY_PROVIDER_IND = Y and .End_Date = null) > SUBSTITUTE_CARE_PROVIDER SUBSTITUTE_CARE_PROVIDER parameter is used for items SP1 thru SP13	
SP1.	Secondary SCP Last Name	SPLastName	SUBSTITUTE_CARE_PROVIDER. LAST_NAME	
SP2.	Secondary SCP First Name	SPFirstName	SUBSTITUTE_CARE_PROVIDER. FIRST_NAME	
SP3.	Secondary SCP Middle Initial	SPMiddleInitial	SUBSTITUTE_CARE_PROVIDER. MIDDLE_INITIAL_NAME	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
SP4.	Secondary SCP Gender	SPGender	SUBSTITUTE_CARE_PROVIDER. GENDER_IND	
SP5.	Secondary SCP Street Number	SPStreetNumber	SUBSTITUTE_CARE_PROVIDER. STREET_NUMBER	
SP66.	Secondary SCP Street Name	SPStreetName	SUBSTITUTE_CARE_PROVIDER. STREET_NAME	
SP7.	Secondary SCP City Name	SPCityName	SUBSTITUTE_CARE_PROVIDER. CITY_NAME	
SP8.	Secondary SCP State	SPState	SUBSTITUTE_CARE_PROVIDER. STATE_CODE_TYPE(Short Description)	
SP9.	Secondary SCP Zip Number	SPZipNumber	SUBSTITUTE_CARE_PROVIDER. ZIP_NUMBER	
SP10	Secondary SCP Zip Suffix Number	SPZipSuffix	SUBSTITUTE_CARE_PROVIDER. ZIP_SUFFIX_NUMBER	
SP11	Secondary SCP Phone	SPPhone	SUBSTITUTE_CARE_PROVIDER > PHONE_CONTACT_DETAIL (where .Established_For_Code = 'S' and .Established_For_Id = SUBSTITUTE_CARE_PROVIDER.Id) .Phone_Number + .Phone_Extension_Number. If more than one phone number exists, then print the first number found according to the following hierarchy: .Phone_Number_Type_Code = 'C', 'A', 'H', 'W', 'F'.	SCR 8341 (R6.3)
SP11a.	Secondary SCP's E-mail Address	SPEmailAddress	SUBSTITUTE_CARE_PROVIDER.Email_Address	SCR 8341 (R6.3)
SP12	Secondary SCP DOB	SPBirthDate	SUBSTITUTE_CARE_PROVIDER. BIRTH_DATE	
SP13	Secondary SCP SSN	SPSSN	SUBSTITUTE_CARE_PROVIDER. SOCIAL_SECURITY_NUMBER	
			ATTORNEY SECTION: CLIENT(child client) > CLIENT_ATTORNEY>ATTORNEY ATTORNEY parameter is used for items AT1 thru AT9	
AT1.	Attorney Phone #	ATPhone	ATTORNEY. PRIMARY_PHONE_NUMBER	

Report/Document Field Definitions

No.	Field Label	Bookmark Name	Entity/Attribute Mapping	Field Size
AT2.	Attorney Phone # Extension	ATPhoneExt	ATTORNEY. PRIMARY_PHONE_EXTENSION_NUMBER	
AT3.	Attorney Street Number	ATStreetNumber	ATTORNEY. STREET_NUMBER	
AT4.	Attorney Street Name	ATStreetName	ATTORNEY. STREET_NAME	
AT5.	Attorney City Name	ATCityName	ATTORNEY. CITY_NAME	
AT6.	Attorney State	ATState	ATTORNEY. STATE_CODE_TYPE(Short Description)	
AT7.	Attorney Zip Number	ATZipNumber	ATTORNEY. ZIP_NUMBER	
AT8.	Attorney Zip Suffix Number	ATZipSuffix	ATTORNEY. ZIP_SUFFIX_NUMBER	
AT9.	Child's Attorney Name	ATName	CLIENT>CHILD_CLIENT>CLIENT_ATTORNEY(where End_Date = NULL)> ATTORNEY.(First Name + MIDDLE_INITIAL_NAME + Last Name)	
AT9a.	Child's Attorney's E-mail Address	ATEmailAddress	CLIENT > CHILD_CLIENT > CLIENT_ATTORNEY (where End_Date = NULL) > ATTORNEY.Email_Address	SCR 8341 (R6.3)
			< NOTE CONCERNING FOREIGN ADDRESSES>	
			If the entity whose address being reported equals CLIENT, COLLATERAL INDIVIDUAL, GROUP HOME ORGANIZATION, NON FOSTER CARE PLACEMENT, PLACEMENT HOME, or SUBSTITUTE CARE PROVIDER, check the attribute Foreign Address Ind Var. If equal to 'Y' and if any FOREIGN ADDRESS attributes are populated, then only the first line (i.e., street address line) of the mapping shown above applies. The subsequent mapping line showing city, state, and zip code should be replaced with the following for a foreign address:	DPU 14620280 (R6.3.2)
			If FOREIGN ADDRESS.Primary Address Id = SOURCE ENTITY.Id and FOREIGN ADDRESS.Primary Address Code = proper code value for the source entity (e.g., 'C' = CLIENT), then print SOURCE ENTITY.City + FOREIGN ADDRESS.Description + Zip Address + (new line) Country Code Type (short description).	